**QA** Testing

1 of 1

Harrens Lab Inc 3507 Breakwater Ave

MAC 1 (smalls)


Harrens

Sample ID: HR22240360372 Strain: MAC 1 Matrix: Plant Type: Flower - Cured Sample Size: ; Batch:

Cannabinoids

Produced: Collected: 10/11/2024 Received: 10/11/2024 Completed: 10/16/2024 Batch#: (510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

> Client THC-A FLOWER CO.



Summary	
ēst	
Batch	
Cannabinoids	
Noisture	

10/14/2024 10/15/2024

Date Tested

Result Complete Complete 12.50%

Complete

	22.36%		ND		22.36%
	Total THC		Total CBD		Total Cannabinoids
Analyte	LOD	LOQ	Mass	Mass	
	mg/g	mg/g	%	mg/g	
THCa	0.200 00	0.61000	25.18	251.82	
Δ9-THC	0.150 00	0.45000	0.28	2.78	
Δ8-THC	0.140	0.42000	ND	ND	
THCV	0.150 00	0.44000	ND	ND	
CBDa	0.100 00	0.31000	ND	ND	
CBD	0.150 00	0.45000	ND	ND	
CBN	0.160 00	0.50000	ND	ND	
CBG	0.130 00	0.39000	ND	ND	
CBC	0.140 00	0.42000	ND	ND	
Total THC			22.36	223.63	
Total CBD Total			ND 22.36	ND 223.6 3	

ISO 17025 Accredited Laboratory Hayward, CA 94545

®

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



MS

Ming Li - General Manager 11/16/2024 Confident LIMS All Rights Reserved coa.support@confidentlims.com

> (866) 506-5866 www.confidentlims.com

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.